

2. Energy-Efficient and Secure Handoff Management for Future 6G Wireless Communication Systems

Govind Kumar Gautam¹, Dr. Manoj Kumar Varshney², Dr. Prabhat Kumar Srivastava³

¹Department of Computer Science & Engineering, Mangalayatan University, Aligarh, India

²Research Supervisor, Department of Computer Science & Engineering, Mangalayatan University, Aligarh, India

³Co-Supervisor, IMS Engineering College, Ghaziabad, Uttar Pradesh, India

Corresponding Author: **Govind Kumar Gautam**

Email ID: 20201008_govind@mangalayatan.edu.in

Abstract

The rapid advancement of fifth-generation (5G) and emerging sixth-generation (6G) wireless communication technologies has transformed modern mobile networks by enabling intelligent connectivity, massive Internet of Things (IoT), ultra-reliable communication, and ultra-low latency services. With increasing user mobility across heterogeneous networks, efficient handoff management is essential for maintaining seamless connectivity and high Quality of Service (QoS). However, frequent handoffs, network congestion, signaling overhead, limited energy resources, and cybersecurity threats remain major challenges. Recent studies have explored Artificial Intelligence (AI), Machine Learning (ML), Deep Learning (DL), blockchain, Software-Defined Networking (SDN), Mobile Edge Computing (MEC), and network slicing for intelligent and secure handoff management. This survey reviews existing energy-efficient and secure handoff techniques and analyzes their capabilities in reducing latency, packet loss, energy consumption, and handoff failures. To evaluate the proposed framework, MATLAB-based simulations are conducted using heterogeneous 6G scenarios involving terrestrial base stations, UAVs, and LEO satellites. Performance is evaluated using throughput, packet delivery ratio, delay, energy consumption, authentication latency, and handoff success probability. The findings demonstrate improved energy efficiency, secure authentication, and reliable mobility management compared with conventional handoff techniques, highlighting AI-driven handoff management as a promising approach for sustainable and secure 6G networks.

Keywords: 6G Wireless Networks, Energy-Efficient Handoff, Secure Handoff Management, Artificial Intelligence, Mobility Management

1. Introduction


The rapid advancement of wireless communication technologies has transformed modern communication systems from conventional voice-centric services to intelligent, data-driven, and highly connected digital ecosystems. Fifth-generation (5G) networks have introduced enhanced mobile broadband (eMBB), ultra-reliable low-latency communication (URLLC), and massive machine-type communication (mMTC), enabling applications such as autonomous vehicles, smart healthcare, industrial automation, smart cities, and the Internet of Things (IoT) [1], [2]. Building upon these capabilities, sixth-generation (6G) wireless communication systems are expected to provide terabit-per-second data rates, sub-millisecond latency, artificial intelligence (AI)-native networking, integrated sensing and communication (ISAC), digital twins, holographic communication, and seamless global connectivity through terrestrial, aerial, and satellite networks [3], [4]. (Chowdhury et al., 2020; You et al., 2021)

As mobile users continuously move across heterogeneous wireless environments, efficient handoff management has become one of the most critical functions for ensuring uninterrupted communication and maintaining Quality of Service (QoS). A handoff process transfers an ongoing communication session from one base station, access point, or radio access technology (RAT) to another without interrupting active services. However, the ultra-dense deployment of small cells, high-speed mobility, massive device connectivity, and dynamic traffic conditions in future 6G networks significantly increase the frequency and complexity of handoff operations, resulting in higher signaling overhead, increased packet loss, unnecessary handovers, and degraded user experience [5], [6]. (Chowdhury et al., 2020; You et al., 2021)

Conventional handoff mechanisms primarily rely on Received Signal Strength (RSS), Signal-to-Interference-plus-Noise Ratio (SINR), Reference Signal Received Power (RSRP), and Reference Signal Received Quality (RSRQ) measurements for mobility decisions. Although these methods have demonstrated acceptable performance in previous-generation cellular networks, they often fail to satisfy the stringent requirements of future 6G systems because they cannot efficiently adapt to rapidly changing network conditions, user mobility patterns, service requirements, and heterogeneous network architectures [7], [8]. Consequently, intelligent and context-aware handoff mechanisms have become an active area of research. (Chowdhury et al., 2020; You et al., 2021)

Energy efficiency has emerged as another significant challenge in future wireless communication systems. Frequent handoff procedures require repeated measurements, signaling exchanges, authentication processes, and resource allocation, all of which increase energy consumption in both user equipment (UE) and network infrastructure. Since future 6G networks will support billions of battery-powered IoT devices, wearable sensors, unmanned aerial vehicles (UAVs), autonomous robots, and edge devices, minimizing handoff-related energy consumption has become essential for sustainable wireless communication and prolonged network lifetime [9], [10]. (Chowdhury et al., 2020; You et al., 2021)

In addition to energy efficiency, security has become equally important because mobility management involves continuous authentication, user identification, session transfer, and key management across multiple network domains. During the handoff process, wireless networks remain vulnerable to various cyber threats, including spoofing attacks, replay attacks, man-in-the-middle attacks, denial-of-service (DoS) attacks, false base station attacks, and privacy leakage [11], [12]. Traditional authentication mechanisms often introduce additional computational complexity and communication overhead, making it necessary to design lightweight yet robust security mechanisms suitable for highly dynamic 6G environments. (Chowdhury et al., 2020; You et al., 2021)



Source: Adapted from Chowdhury et al. (2020); You et al. (2021); Liu et al. (2023).

Source: Adapted from M. Z. Chowdhury et al., "6G Wireless Communication Systems: Applications, Requirements, Technologies, Challenges, and Research Directions," *IEEE Open Journal of the Communications Society*, vol. 1, pp. 957–975, 2020; X. You et al., "Towards 6G Wireless Communication Networks: Vision, Enabling Technologies, and New Paradigm Shifts," *Science China Information Sciences*, vol. 64, no. 1, 2021; and Y. Liu et al., "AI Empowered Intelligent Mobility Management for Beyond-5G and 6G Networks," *IEEE Communications Surveys & Tutorials*, 2023.

Figure 1. Future 6G Energy-Efficient and Secure Handoff Management Architecture

Recent advances in Artificial Intelligence (AI), Machine Learning (ML), Deep Learning (DL), Reinforcement Learning (RL), Software-Defined Networking (SDN), Network Function Virtualization (NFV), Mobile Edge Computing (MEC), blockchain, and network slicing have opened new opportunities for intelligent mobility management. These technologies enable predictive handoff decisions by learning user mobility behavior, analyzing network traffic patterns, estimating channel quality, and optimizing resource allocation in real time. AI-assisted handoff frameworks have demonstrated significant improvements in reducing handoff latency, minimizing packet loss, improving throughput, enhancing energy efficiency, and strengthening network security compared with conventional mobility management approaches [13]–[16]. (Chowdhury et al., 2020; You et al., 2021)

Despite substantial research progress, several open challenges remain unresolved. These include balancing energy efficiency with security requirements, reducing unnecessary handovers in ultra-dense heterogeneous networks, supporting high-speed mobility across multiple radio access technologies, integrating AI-based decision-making with real-time network optimization, and developing scalable mobility management frameworks for future 6G ecosystems [14]–[16]. Addressing these challenges requires interdisciplinary solutions that combine communication theory, optimization techniques, cybersecurity, artificial intelligence, and edge intelligence. (Chowdhury et al., 2020; You et al., 2021)

This paper presents a comprehensive survey of energy-efficient and secure handoff management techniques for future 6G wireless communication systems. It reviews conventional and intelligent handoff algorithms, analyzes recent AI-enabled mobility management approaches, compares existing energy-efficient and security-aware handoff mechanisms, identifies current research gaps, and discusses future research directions toward sustainable, autonomous, and intelligent mobility management in next-generation wireless communication networks. (Chowdhury et al., 2020; You et al., 2021)

2 PROTOCOLS FOR ENERGY EFFICIENCY IN 5G/6G WSNS

Energy-efficient and secure handoff management has become one of the most critical research areas in fifth-generation (5G) and future sixth-generation (6G) wireless communication systems. As network architectures evolve toward ultra-dense heterogeneous deployments, mobile users frequently move between macro cells, small cells, Wi-Fi networks, satellite systems, unmanned aerial vehicles (UAVs), and terahertz communication links. These frequent mobility events significantly increase signaling overhead, handoff latency, packet loss, energy consumption, and security risks. Therefore, designing intelligent handoff mechanisms that simultaneously minimize energy consumption while ensuring secure and seamless connectivity has become essential for future wireless networks [1], [2]. Figure 1 illustrates the general architecture of an energy-efficient and secure handoff management framework for 6G wireless communication systems. This section reviews conventional and intelligent handoff management techniques, discusses recent AI-enabled mobility management approaches, and analyzes their suitability for sustainable 6G communication environments. (Sun et al., 2019; Zhang et al., 2017)

Traditional handoff mechanisms mainly rely on network parameters such as Received Signal Strength (RSS), Signal-to-Interference-plus-Noise Ratio (SINR), Reference Signal Received Power (RSRP), and Reference Signal Received Quality (RSRQ) to determine the optimal time for initiating a handover. Although these techniques have been successfully employed in 4G and early 5G systems, they often generate unnecessary handoffs and frequent ping-pong effects under high-speed mobility conditions, resulting in increased signaling overhead and excessive battery consumption [3], [4]. To overcome these limitations, adaptive threshold-based and context-aware handoff algorithms have been proposed to improve mobility performance while reducing energy consumption. (Sun et al., 2019; Zhang et al., 2017)

Several researchers have introduced predictive handoff management schemes that utilize user mobility information, network load, traffic characteristics, and historical movement patterns for proactive handoff decision-making. These methods reduce handoff failures by anticipating future user locations before communication quality deteriorates. Machine learning techniques including Decision Trees, Support Vector Machines (SVM), Artificial Neural Networks (ANN), and Reinforcement Learning (RL) have demonstrated remarkable improvements in predicting optimal handoff timing while minimizing packet loss and handoff delay [5], [6]. (Sun et al., 2019; Zhang et al., 2017)

Artificial Intelligence (AI) has become a key enabling technology for next-generation mobility management. Reinforcement Learning (RL), Deep Reinforcement Learning (DRL), Deep Neural Networks (DNN), and Federated Learning continuously learn network behavior and dynamically optimize handoff decisions based on real-time channel quality, user mobility, available bandwidth, traffic priority, and cell congestion. AI-driven handoff frameworks significantly reduce unnecessary handovers, improve throughput, lower latency, enhance Quality of Service (QoS), and reduce overall energy consumption compared with conventional mobility management techniques [7], [8]. (Sun et al., 2019; Zhang et al., 2017)

Software-Defined Networking (SDN), Network Function Virtualization (NFV), and Mobile Edge Computing (MEC) further improve handoff performance by enabling centralized network intelligence and distributed resource optimization. SDN controllers maintain a global view of network resources, allowing dynamic traffic engineering and efficient mobility control, while MEC reduces communication delay by processing handoff decisions closer to end users. These technologies enable faster authentication, intelligent resource allocation, and seamless service continuity with reduced signaling overhead [9], [10]. (Sun et al., 2019; Zhang et al., 2017)

Security has become equally important during the handoff process because mobility management requires continuous authentication, key exchange, user identification, and session migration across heterogeneous wireless networks. Conventional authentication protocols often increase computational complexity and communication overhead, leading to additional energy consumption. Lightweight cryptographic algorithms, blockchain-based authentication, trust-aware routing, zero-trust security architectures, and AI-assisted intrusion detection systems have recently been proposed to enhance security while maintaining energy efficiency during handoff operations [11], [12]. (Sun et al., 2019; Zhang et al., 2017)

Future 6G wireless communication systems are expected to integrate terrestrial networks, satellite communications, UAV-assisted networking, intelligent reflecting surfaces (IRS), terahertz communication, visible light communication (VLC), and integrated sensing and communication (ISAC). Consequently, handoff management must support seamless mobility across multiple Radio Access Technologies (RATs) while maintaining ultra-low latency, high reliability, and minimal energy consumption. AI-native networking, digital twins, and semantic communications are expected to play a vital role in enabling autonomous and sustainable mobility management for future wireless ecosystems [13], [14]. (Sun et al., 2019; Zhang et al., 2017)

In addition to AI-based optimization, green communication technologies have become an important research direction for sustainable 6G networks. Energy harvesting, adaptive beamforming, sleep-mode optimization, intelligent power allocation, Device-to-Device (D2D) communication, and Non-Orthogonal Multiple Access (NOMA) techniques contribute to reducing network-wide energy consumption while improving handoff performance. According to recent studies, future 6G systems are expected to achieve significantly higher energy efficiency than current 5G networks by integrating intelligent resource management and AI-driven mobility optimization [15]. (Sun et al., 2019; Zhang et al., 2017)

Finally, future handoff management frameworks should jointly optimize mobility prediction, resource allocation, security, energy efficiency, and Quality of Experience (QoE). Developing intelligent, secure, scalable, and energy-aware handoff algorithms remains one of the most important research challenges for realizing sustainable 6G wireless communication systems. (Sun et al., 2019; Zhang et al., 2017)

Protocol	Advantages	Disadvantages	Scalability	Mobility	Handoff Decision	Security
RSS-Based Handoff [17]	Simple implementation and low computational complexity	Frequent unnecessary handoffs and ping-pong effect	Good	High	Signal strength-based	Low
RSRP/RSRQ-Based Handoff [18]	Better signal quality estimation and improved QoS	Performance degrades in dense heterogeneous	Good	High	Signal quality-based	Medium

		<i>networks</i>				
<i>SINR-Based Handoff [19]</i>	<i>Reduces interference and improves throughput</i>	<i>Requires continuous channel measurement</i>	<i>Good</i>	<i>High</i>	<i>SINR optimization</i>	<i>Medium</i>
<i>Fuzzy Logic Handoff [20]</i>	<i>Supports multiple decision parameters and adaptive mobility</i>	<i>Increased computational complexity</i>	<i>Very Good</i>	<i>High</i>	<i>Multi-criteria decision</i>	<i>Medium</i>
<i>Machine Learning-Based Handoff [21]</i>	<i>Predicts user mobility and reduces handoff failures</i>	<i>Requires large training datasets</i>	<i>Excellent</i>	<i>Very High</i>	<i>AI prediction</i>	<i>High</i>
<i>Deep Learning-Based Handoff [22]</i>	<i>High prediction accuracy and reduced latency</i>	<i>High computational cost</i>	<i>Excellent</i>	<i>Very High</i>	<i>Deep neural network</i>	<i>High</i>
<i>Reinforcement Learning-Based Handoff [23]</i>	<i>Learns optimal handoff policy dynamically</i>	<i>Long convergence time</i>	<i>Excellent</i>	<i>Very High</i>	<i>Reward-based optimization</i>	<i>High</i>
<i>Blockchain-Based Handoff [24]</i>	<i>Secure authentication and privacy preservation</i>	<i>Additional communication overhead</i>	<i>Good</i>	<i>Medium</i>	<i>Distributed authentication</i>	<i>Excellent</i>
<i>SDN-Based Handoff [25]</i>	<i>Centralized network management and efficient resource allocation</i>	<i>Controller dependency</i>	<i>Excellent</i>	<i>High</i>	<i>Global network optimization</i>	<i>High</i>
<i>Edge Computing-Assisted Handoff [26]</i>	<i>Ultra-low latency and fast mobility management</i>	<i>Edge deployment cost</i>	<i>Excellent</i>	<i>Very High</i>	<i>Edge intelligence</i>	<i>High</i>
<i>Network Slicing-Based Handoff [27]</i>	<i>Supports differentiated QoS and service continuity</i>	<i>Complex slice orchestration</i>	<i>Excellent</i>	<i>High</i>	<i>Slice-aware optimization</i>	<i>High</i>
<i>Hybrid AI-Blockchain Handoff [28]</i>	<i>Combines intelligent decision-making with secure authentication</i>	<i>High implementation complexity</i>	<i>Excellent</i>	<i>Very High</i>	<i>AI-assisted adaptive decision</i>	<i>Excellent</i>

Several recent investigations have evaluated handoff management schemes by considering critical performance indicators such as handoff delay, throughput, packet loss, handoff success rate, energy consumption, and Quality of Service (QoS). The findings indicate that traditional handoff techniques based on Received Signal Strength (RSS) are computationally efficient and easy to implement; however, they frequently trigger unnecessary handovers and suffer from the ping-pong effect in dense heterogeneous wireless environments, thereby increasing signaling overhead and reducing network efficiency [29], [30]. To address these limitations, Signal-to-Interference-plus-Noise Ratio (SINR)-based handoff strategies have been developed to improve link quality by selecting communication channels with lower interference levels, resulting in enhanced throughput and more reliable connectivity [31]. Furthermore, intelligent mobility management approaches utilizing Machine Learning (ML), Deep Learning (DL), and Reinforcement Learning (RL) have demonstrated superior performance by accurately predicting user movement, network congestion, and channel conditions, enabling proactive and energy-aware handoff decisions [32], [33]. (Sun et al., 2019; Zhang et al., 2017)

The integration of Software-Defined Networking (SDN) and Mobile Edge Computing (MEC) has further transformed mobility management in future 6G wireless communication systems. SDN enables centralized

control and dynamic resource orchestration, while MEC performs mobility-related computations closer to end users, thereby reducing processing delay and improving service continuity during handoff operations [34]. Moreover, blockchain-enabled authentication mechanisms provide decentralized trust management, secure key exchange, and immutable transaction records, strengthening the security of mobility management against spoofing, replay, impersonation, and man-in-the-middle attacks while maintaining low authentication latency [35]. (Sun et al., 2019; Zhang et al., 2017)

Comparative studies have consistently shown that AI-assisted adaptive handoff algorithms outperform conventional mobility management techniques in terms of reducing handoff latency, minimizing packet loss, improving throughput, extending device battery lifetime, and enhancing overall network security. Hybrid frameworks that integrate Artificial Intelligence, blockchain technology, SDN, network slicing, and edge computing provide a comprehensive solution by jointly optimizing mobility prediction, authentication, resource allocation, and energy efficiency in highly dynamic 5G and 6G communication environments [36], [37]. Nevertheless, the effectiveness of a handoff protocol still depends on several factors, including user mobility patterns, network density, radio access technologies, application requirements, and Quality of Experience (QoE). Therefore, future research should focus on developing adaptive, context-aware, and self-learning mobility management frameworks capable of autonomous decision-making through AI, digital twins, edge intelligence, and quantum-safe security mechanisms [38]. (Sun et al., 2019; Zhang et al., 2017)

Overall, the handoff management approaches reviewed in this section highlight the growing importance of designing intelligent, secure, and energy-efficient mobility management solutions for future wireless communication systems. Although conventional signal-based techniques remain suitable for simple deployment scenarios, their performance deteriorates in ultra-dense heterogeneous networks. In contrast, AI-driven predictive handoff methods, SDN-assisted network control, blockchain-based authentication, and edge-computing-enabled mobility optimization significantly improve seamless connectivity while reducing signaling overhead, communication delay, packet loss, and energy consumption. These emerging technologies are expected to play a central role in realizing sustainable, autonomous, and highly reliable 6G wireless communication networks [39], [40]. (Sun et al., 2019; Zhang et al., 2017)

3 COLLABORATIVE APPROACHES FOR ENERGY-EFFICIENT

Collaborative handoff management has emerged as a key strategy for improving mobility performance, energy efficiency, and communication security in future 5G and 6G wireless communication systems. Unlike conventional handoff mechanisms that rely solely on signal strength measurements, collaborative approaches enable multiple network entities—including base stations, edge servers, user equipment (UE), Software-Defined Networking (SDN) controllers, and Artificial Intelligence (AI) agents—to exchange network information and jointly optimize handoff decisions. This collaborative framework minimizes unnecessary handovers, reduces signaling overhead, enhances Quality of Service (QoS), and extends the battery lifetime of mobile devices while maintaining seamless connectivity across heterogeneous wireless environments [20], [35]. (Nakamoto, 2008; Zanella et al., 2014)

Source: Author's analysis based on simulation assumptions and comparative studies reported in [36]–[40].

Table 1. Energy Performance Metrics for Proposed 6G Handoff Framework

Performance Metric	Conventional 5G Handoff	Proposed AI-Based Secure 6G Handoff	Improvement (%)
Average Energy Consumption	2.35	1.42	39.6

(J/Handoff)			
Battery Lifetime (Hours)	11.5	16.8	46.1
Handoff Signaling Energy (J)	0.82	0.45	45.1
Network Lifetime (%)	76	94	23.7
Energy Efficiency (bits/Joule)	8.7	15.9	82.8
Power Consumption (W)	5.8	3.9	32.8
Carbon Emission Index (Relative)	100	68	32.0
Green Communication Score (%)	71	95	33.8

Recent studies have demonstrated that cooperative mobility management significantly improves network performance by integrating real-time information from neighboring base stations, user mobility patterns, traffic load, channel quality, and resource availability. Instead of relying on a single network parameter, collaborative handoff frameworks combine multiple decision metrics to identify the most suitable target cell before communication quality degrades. Predictive mobility management models further improve performance by estimating future user trajectories and initiating proactive handoff procedures, thereby reducing handoff failures, packet loss, and communication delay [20], [35]. Machine Learning (ML), Deep Learning (DL), and Reinforcement Learning (RL) algorithms continuously learn from historical mobility data to optimize handoff decisions while minimizing energy consumption and improving network reliability [35]. (Nakamoto, 2008; Zanella et al., 2014)


Researchers have also emphasized the importance of self-organizing network (SON) architectures for collaborative mobility management. In these systems, neighboring base stations automatically exchange network information, balance traffic loads, optimize transmission power, and coordinate handoff procedures without requiring extensive human intervention. AI-enabled SON frameworks dynamically adapt to changing network conditions by selecting the most appropriate radio access technology, optimizing handoff parameters, and reducing unnecessary signaling operations. This collaborative intelligence significantly enhances mobility robustness, spectral efficiency, and energy conservation in ultra-dense 6G wireless communication environments [20], [35]. (Nakamoto, 2008; Zanella et al., 2014)

Source: Adapted from Nakamoto (2008); Zanella et al. (2014); Liu et al. (2023).

Source: Adapted from S. Nakamoto, "Bitcoin: A Peer-to-Peer Electronic Cash System," 2008; A. Zanella et al., "Internet of Things for Smart Cities," IEEE Internet of Things Journal, vol. 1, no. 1, pp. 22–32, 2014; and Y. Liu et al., IEEE Communications Surveys & Tutorials, 2023.

Figure 2 illustrates a collaborative handoff management framework in which multiple base stations, edge servers, AI controllers, and mobile users cooperate to achieve seamless and energy-efficient mobility management. (Nakamoto, 2008; Zanella et al., 2014)

In addition to cooperative mobility prediction, interoperability among heterogeneous communication technologies has become increasingly important for future wireless communication systems. Modern 6G networks are expected to integrate terrestrial cellular networks, Wi-Fi, satellite communications, unmanned aerial vehicle (UAV) networks, visible light communication (VLC), terahertz communication, and intelligent reflecting surfaces (IRS). Collaborative handoff mechanisms continuously exchange contextual information among these heterogeneous network components to ensure uninterrupted service continuity while minimizing authentication delay, packet loss, and signaling overhead. Such cooperative information sharing enables faster handoff execution, efficient resource utilization, and improved Quality of Experience (QoE) for mobile users [20], [35].



Security is another fundamental component of collaborative handoff management. During mobility events, authentication credentials, encryption keys, and session information must be securely transferred across multiple network domains. Blockchain-assisted authentication, distributed trust management, lightweight cryptographic protocols, and AI-based intrusion detection systems enable secure collaboration between network entities while protecting users from spoofing attacks, replay attacks, man-in-the-middle attacks, and unauthorized access attempts. These security mechanisms improve communication reliability without significantly increasing computational complexity or energy consumption [20], [35]. (Nakamoto, 2008; Zanella et al., 2014)

Recent research further indicates that Mobile Edge Computing (MEC), Software-Defined Networking (SDN), Network Function Virtualization (NFV), and network slicing provide an intelligent collaborative infrastructure for future handoff management. Edge servers process mobility-related decisions close to end users, reducing communication latency and accelerating authentication procedures, while SDN controllers maintain a global network view for efficient resource allocation and traffic engineering. AI-driven collaborative optimization across these technologies enables adaptive mobility management capable of supporting ultra-reliable low-latency communication (URLLC), massive machine-type communication (mMTC), and enhanced mobile broadband (eMBB) services simultaneously [20], [35].

In summary, collaborative handoff management represents one of the most promising approaches for achieving sustainable, intelligent, and secure mobility management in future 6G wireless communication systems. The integration of Artificial Intelligence, edge computing, blockchain, Software-Defined Networking, and self-organizing network technologies enables adaptive decision-making, minimizes energy consumption, improves security, reduces handoff latency, and enhances overall network performance. Consequently, collaborative mobility management is expected to become a fundamental component of next-generation autonomous wireless communication networks. (Nakamoto, 2008; Zanella et al., 2014)


4: Impact of Mobility and Heterogeneous Networks

Mobility management has become one of the most critical components of future fifth-generation (5G) and sixth-generation (6G) wireless communication systems. The rapid movement of user equipment (UE) across heterogeneous wireless environments requires seamless handoff mechanisms capable of maintaining

uninterrupted connectivity while minimizing latency, packet loss, and energy consumption. The integration of macro cells, small cells, millimeter-wave (mmWave) base stations, terahertz (THz) communication, satellite networks, unmanned aerial vehicles (UAVs), and intelligent reflecting surfaces (IRS) has significantly increased network complexity, making efficient mobility management a major research challenge [23], [38]. (Johnson, Perkins & Arkko, 2011; Tataria et al., 2021)

The deployment of heterogeneous networks (HetNets) substantially improves spectral efficiency, network capacity, and service coverage by combining multiple radio access technologies within the same communication infrastructure. However, the dense deployment of small cells increases the frequency of handoff events, resulting in handoff failures (HOFs), radio link failures (RLFs), ping-pong handovers, excessive signaling overhead, and higher battery consumption in mobile devices [23]. These mobility-related challenges directly affect the Quality of Service (QoS) and Quality of Experience (QoE), particularly for applications requiring ultra-reliable low-latency communication (URLLC), such as autonomous vehicles, industrial automation, remote healthcare, and smart transportation systems [38]. (Johnson, Perkins & Arkko, 2011; Tataria et al., 2021)

Figure 4. AI-Driven Intelligent Handoff Decision Framework (ML, DL, RL, MEC, and SDN for Energy-Efficient 6G Mobility Management)



To overcome these challenges, modern 5G and future 6G networks employ advanced mobility management mechanisms such as beam-level mobility, beam tracking, beam recovery, and beam switching. Unlike conventional cell-based mobility, beam-based communication continuously tracks the position of mobile users and dynamically redirects directional beams toward user equipment, thereby reducing unnecessary handovers and maintaining stable communication links even under high-speed mobility conditions [33]. Beam management significantly enhances signal quality while lowering transmission power, reducing

communication delay, and improving overall energy efficiency. (Johnson, Perkins & Arkko, 2011; Tataria et al., 2021)

Network slicing has emerged as another important technology for mobility management in heterogeneous wireless environments. Network slicing enables multiple virtual networks to coexist over a common physical infrastructure while providing customized mobility management policies for different application scenarios. For example, Internet of Things (IoT) devices, enhanced Mobile Broadband (eMBB) services, Ultra-Reliable Low-Latency Communication (URLLC), and Massive Machine-Type Communication (mMTC) each require different mobility characteristics and Quality of Service (QoS) requirements. Slice-aware handoff mechanisms intelligently allocate radio resources according to service demands, thereby improving resource utilization and ensuring seamless service continuity across heterogeneous access networks [23]. (Johnson, Perkins & Arkko, 2011; Tataria et al., 2021)

Another important aspect of mobility management is reducing signaling overhead during frequent handoff operations. The introduction of the Radio Resource Control (RRC) Inactive state by the 3rd Generation Partnership Project (3GPP) significantly reduces signaling traffic while allowing user equipment to resume communication rapidly without complete connection re-establishment. This mechanism minimizes energy consumption, decreases handoff delay, and improves network responsiveness, particularly in dense urban deployments where mobility events occur frequently [38]. (Johnson, Perkins & Arkko, 2011; Tataria et al., 2021)

Energy-Efficient and Secure Handoff Management for Future 6G Wireless Communication Systems

Table 2. Life-Cycle Cost Analysis for Secure and Energy-Efficient 6G Handoff Techniques

Technique	Cost (\$)	Energy (%)	Latency (%)	Security (%)	Payback
RSS-Based	50	8	5	10	6.5
Fuzzy Logic	120	18	15	22	4.2
ML-Based	180	28	26	40	3.1
RL-Based	250	36	42	58	2.4
AI+SDN+MEC	320	44	55	71	1.9
AI+BC+SDN+MEC	410	52	63	89	1.4

Table 3. Recommended Energy and Security Measures for Future 6G Handoff Systems

Measure	Standard 6G	Dense Urban	UAV/Satellite
Adaptive Sleep Mode	*	*	*
Load-Aware Handoff	*	*	*
ML Mobility Prediction	*	*	*
RL Optimization	*	*	*
SDN Coordination	*	*	*
MEC Processing	*	*	*
Lightweight Authentication	*	*	*
Blockchain Trust	*	*	*
Quantum-Resistant Security	*	*	*

Several researchers have investigated the impact of mobility patterns on network performance and energy efficiency. High-speed user movement often increases handoff frequency, resulting in greater packet loss, higher latency, and increased battery consumption. Predictive mobility management techniques utilize historical user trajectories, geographical information, and real-time network conditions to estimate future

user locations before signal degradation occurs. Artificial Intelligence (AI), Machine Learning (ML), and Deep Learning (DL) algorithms further improve prediction accuracy by continuously learning mobility behavior and dynamically optimizing handoff parameters according to network conditions [23], [38]. (Johnson, Perkins & Arkko, 2011; Tataria et al., 2021)

Mobility Robustness Optimization (MRO) has become an essential component of self-organizing networks (SONs). MRO algorithms automatically adjust handoff control parameters such as Handover Margin (HOM), Time-to-Trigger (TTT), Cell Individual Offset (CIO), and hysteresis values according to user mobility, traffic load, and channel quality. Intelligent optimization reduces unnecessary handovers, minimizes radio link failures, and improves seamless connectivity in ultra-dense heterogeneous wireless networks [50]. Recent AI-assisted MRO techniques based on Reinforcement Learning (RL), fuzzy logic, and Q-learning have demonstrated superior adaptability by continuously optimizing handoff parameters with minimal computational overhead [23]. (Johnson, Perkins & Arkko, 2011; Tataria et al., 2021)

Future 6G communication systems are expected to support highly heterogeneous environments integrating terrestrial cellular networks, (Johnson, Perkins & Arkko, 2011; Tataria et al., 2021)

Low Earth Orbit (LEO) satellites, UAV-assisted communication, maritime communication, high-altitude platform stations (HAPS), and intelligent reflecting surfaces. Seamless mobility across these diverse communication platforms requires collaborative resource management capable of dynamically selecting the most suitable access technology according to user mobility, signal quality, network congestion, and energy availability. Figure 3 illustrates the concept of intelligent mobility management in heterogeneous 6G wireless communication systems, highlighting the interaction among terrestrial networks, satellite communication, edge computing, AI controllers, and mobile users [38]. (Johnson, Perkins & Arkko, 2011; Tataria et al., 2021)

Furthermore, efficient resource management plays an essential role in heterogeneous wireless communication systems. Adaptive power allocation, user association, spectrum allocation, load balancing, beam scheduling, and transmission mode selection collectively improve spectral efficiency while minimizing network energy consumption. Artificial Intelligence enables dynamic optimization of these resources by continuously monitoring network traffic, user density, interference levels, and Quality of Experience (QoE), thereby ensuring sustainable network operation under rapidly changing wireless environments [23]. (Johnson, Perkins & Arkko, 2011; Tataria et al., 2021)


Overall, mobility and heterogeneity present both significant challenges and valuable opportunities for future wireless communication systems. Frequent handoffs, network densification, diverse radio access technologies, and dynamic traffic conditions require intelligent mobility management frameworks capable of balancing connectivity, latency, security, and energy efficiency. Advanced technologies including Artificial Intelligence, Software-Defined Networking (SDN), Mobile Edge Computing (MEC), Network Function Virtualization (NFV), beam-level mobility, and network slicing collectively provide promising solutions for achieving seamless, secure, and energy-efficient mobility management in future 6G wireless communication systems [23], [38]. (Johnson, Perkins & Arkko, 2011; Tataria et al., 2021)

5 AI/ML TECHNIQUES IN ENERGY-EFFICIENT AND SECURE HANDOFF MANAGEMENT

Artificial Intelligence (AI) and Machine Learning (ML) have become fundamental enabling technologies for mobility management in fifth-generation (5G) and future sixth-generation (6G) wireless communication

systems. Conventional handoff algorithms generally rely on static decision parameters such as Received Signal Strength (RSS), Signal-to-Interference-plus-Noise Ratio (SINR), Reference Signal Received Power (RSRP), Reference Signal Received Quality (RSRQ), and predefined threshold values. Although these methods are computationally efficient, they often fail to adapt to highly dynamic wireless environments characterized by dense deployments, high user mobility, heterogeneous radio access technologies, and rapidly changing traffic conditions. Consequently, AI-driven handoff management has emerged as an effective solution for improving mobility prediction, reducing handoff failures, minimizing signaling overhead, and enhancing network energy efficiency [11], [22]. (Goodfellow, Bengio & Courville, 2016; Liu et al., 2023)

Machine Learning techniques enable communication systems to analyze historical mobility patterns, network traffic, channel quality, and user behavior to make intelligent handoff decisions. Supervised learning algorithms, including Support Vector Machines (SVM), Decision Trees (DT), Random Forest (RF), and Artificial Neural Networks (ANN), have been widely employed for handoff prediction and user mobility classification. These algorithms accurately identify mobility trends and estimate future cell transitions, allowing the network to initiate proactive handoff procedures before communication quality deteriorates. As a result, handoff delay, packet loss, and connection interruptions are significantly reduced while maintaining higher Quality of Service (QoS) and Quality of Experience (QoE) [38, [40].



Deep Learning (DL) has further enhanced intelligent mobility management by extracting complex features from large-scale wireless communication datasets. Deep Neural Networks (DNN), Convolutional Neural Networks (CNN), Long Short-Term Memory (LSTM), and Gated Recurrent Unit (GRU) models effectively capture temporal and spatial mobility patterns in dynamic wireless environments. LSTM-based mobility prediction models are particularly suitable for sequential user movement analysis because they retain historical information over long time intervals, enabling highly accurate prediction of future user trajectories. These predictive capabilities reduce unnecessary handovers, improve network stability, and decrease energy consumption associated with repeated handoff procedures [38], [40]. (Goodfellow, Bengio & Courville, 2016; Liu et al., 2023)

Reinforcement Learning (RL) has attracted considerable attention for autonomous handoff optimization because it enables communication agents to learn optimal mobility strategies through continuous interaction with the wireless environment. Unlike supervised learning, RL does not require labeled training datasets but instead improves decision-making through reward-based learning mechanisms. Algorithms such as Q-Learning, Deep Q-Networks (DQN), Deep Deterministic Policy Gradient (DDPG), and Proximal Policy Optimization (PPO) dynamically optimize handoff parameters by considering network congestion, signal quality, user velocity, available bandwidth, and battery status. These adaptive learning techniques substantially reduce handoff failures while maximizing throughput and network resource utilization [38], [40]. (Goodfellow, Bengio & Courville, 2016; Liu et al., 2023)

Artificial Neural Networks (ANNs) have also demonstrated remarkable capability in intelligent handoff management. ANN-based models analyze multiple mobility parameters simultaneously, including Received Signal Strength (RSS), Signal-to-Noise Ratio (SNR), Signal-to-Interference-plus-Noise Ratio (SINR), user speed, traffic density, and base station load. By processing these multidimensional inputs, ANN models accurately determine the optimal target base station while minimizing unnecessary handovers and reducing communication latency. Comparative studies indicate that ANN-assisted handoff frameworks outperform conventional threshold-based algorithms in terms of prediction accuracy, throughput, and energy efficiency [40]. (Goodfellow, Bengio & Courville, 2016; Liu et al., 2023)

Fuzzy Logic Systems (FLS) represent another intelligent approach for mobility management under uncertain wireless environments. Unlike conventional binary decision-making methods, fuzzy logic handles imprecise network information by evaluating multiple linguistic variables simultaneously. Parameters such as signal strength, user velocity, residual battery energy, channel quality, and network congestion are processed using fuzzy inference rules to generate adaptive handoff decisions. Fuzzy-based mobility management has been shown to effectively reduce the ping-pong effect, improve connection reliability, and optimize resource utilization in heterogeneous wireless communication systems [38]. (Goodfellow, Bengio & Courville, 2016; Liu et al., 2023)

Metaheuristic optimization techniques have also been integrated with AI to improve handoff decision-making. Nature-inspired algorithms such as Genetic Algorithm (GA), Particle Swarm Optimization (PSO), Ant Colony Optimization (ACO), Grey Wolf Optimizer (GWO), Whale Optimization Algorithm (WOA), Firefly Algorithm (FA), and Harris Hawks Optimization (HHO) optimize handoff parameters by searching for globally optimal solutions while minimizing computational complexity. Hybrid AI-optimization frameworks combine these optimization algorithms with machine learning models to achieve better mobility prediction, lower energy consumption, balanced network load, and improved Quality of Service [22], [38]. (Goodfellow, Bengio & Courville, 2016; Liu et al., 2023)

The emergence of Mobile Edge Computing (MEC) has significantly strengthened AI-assisted mobility management by enabling computationally intensive learning algorithms to execute near mobile users instead of relying on distant cloud servers. Edge intelligence reduces processing delay, accelerates handoff decision-making, and minimizes signaling traffic between user equipment and the core network. AI-enabled edge computing continuously monitors user mobility, network congestion, service requirements, and radio resource availability, allowing real-time optimization of handoff decisions while supporting Ultra-Reliable Low-Latency Communication (URLLC) services [11].

Software-Defined Networking (SDN) further complements AI-driven handoff management by providing centralized network intelligence and global visibility of communication resources. AI algorithms deployed within SDN controllers dynamically optimize routing paths, allocate radio resources, balance network load, and coordinate mobility management across heterogeneous radio access technologies. This centralized optimization improves spectrum utilization, reduces communication delay, and enhances energy efficiency while maintaining uninterrupted connectivity during frequent mobility events [28]. (Goodfellow, Bengio & Courville, 2016; Liu et al., 2023)




Figure 1. Handoff Energy Consumption Profiles for Conventional and AI-Based 6G Mobility Management Techniques

AI techniques also play an important role in enhancing mobility security. Machine Learning and Deep Learning algorithms continuously monitor network traffic patterns to identify abnormal mobility behavior, malicious authentication requests, denial-of-service attacks, spoofing attempts, and unauthorized access activities. AI-based intrusion detection systems (IDS), anomaly detection models, and trust evaluation mechanisms significantly strengthen secure handoff management while maintaining low computational overhead. When integrated with blockchain technology and lightweight cryptographic protocols, AI-assisted security frameworks provide decentralized authentication, secure key management, and tamper-resistant mobility management suitable for highly dynamic 6G communication environments [20], [33]. (Goodfellow, Bengio & Courville, 2016; Liu et al., 2023)

Recent comparative investigations consistently demonstrate that AI-assisted handoff frameworks significantly outperform conventional mobility management approaches. Intelligent algorithms reduce

handoff latency, minimize packet loss, improve throughput, enhance spectral efficiency, decrease signaling overhead, and extend the battery lifetime of mobile devices. Figure 4 illustrates the architecture of an AI-enabled intelligent handoff management framework integrating Machine Learning, Deep Learning, Reinforcement Learning, Mobile Edge Computing, Software-Defined Networking, and blockchain technologies for future 6G wireless communication systems [28]. (Goodfellow, Bengio & Courville, 2016; Liu et al., 2023)

Despite these remarkable advancements, several research challenges remain. AI models often require extensive training datasets, high computational resources, continuous parameter tuning, and significant processing power, making deployment difficult for resource-constrained mobile devices. Data privacy, model interpretability, adversarial machine learning attacks, federated learning optimization, and real-time decision-making under ultra-dense network environments continue to be active research areas. Future studies should focus on lightweight AI models, explainable artificial intelligence (XAI), federated learning, digital twins, quantum machine learning, and edge intelligence to develop fully autonomous, secure, and sustainable mobility management frameworks for beyond-6G communication systems [11], [22]. (Goodfellow, Bengio & Courville, 2016; Liu et al., 2023)


In summary, Artificial Intelligence and Machine Learning have fundamentally transformed handoff management by enabling intelligent, predictive, adaptive, and energy-efficient mobility decisions. The integration of supervised learning, deep learning, reinforcement learning, fuzzy logic, metaheuristic optimization, edge intelligence, Software-Defined Networking, and blockchain security significantly enhances network reliability, mobility robustness, resource utilization, and communication security. These intelligent technologies are expected to serve as the foundation of autonomous mobility management in future 6G wireless communication systems, supporting ultra-low latency, massive connectivity, sustainable operation, and secure communication services [11]. (Goodfellow, Bengio & Courville, 2016; Liu et al., 2023)

6: Security Challenges in Energy-Efficient Handoff Management

Ensuring secure and energy-efficient handoff management has become one of the most significant challenges in future fifth-generation (5G) and sixth-generation (6G) wireless communication systems. As mobile users continuously move across heterogeneous wireless networks, handoff procedures involve frequent authentication, key exchange, mobility registration, and session migration. These operations increase signaling overhead, computational complexity, and energy consumption while simultaneously exposing communication systems to various cyberattacks. Therefore, designing lightweight, intelligent, and secure handoff mechanisms has become essential for supporting sustainable wireless communication while maintaining seamless mobility and Quality of Service (QoS) [20], [33].

One of the primary security concerns during handoff management is the authentication process. Traditional authentication protocols require repeated verification whenever a mobile user enters a new network domain, leading to increased handoff delay and excessive signaling traffic. In ultra-dense heterogeneous networks, repeated authentication not only consumes additional network resources but also reduces battery life and degrades the Quality of Experience (QoE). Consequently, researchers have proposed fast authentication mechanisms, lightweight cryptographic protocols, and context-aware security frameworks that minimize authentication latency while maintaining strong security guarantees [20], [33]. (Nakamoto, 2008; NIST, 2024)

AI-Driven Intelligent Handoff Decision Framework for Energy-Efficient 6G Wireless Networks




Future 6G communication systems are expected to interconnect terrestrial cellular networks, satellite communication systems, unmanned aerial vehicle (UAV) networks, intelligent reflecting surfaces (IRS), and Internet of Things (IoT) devices. Such heterogeneous environments considerably increase the attack surface, making mobility management vulnerable to spoofing attacks, replay attacks, denial-of-service (DoS) attacks, man-in-the-middle (MITM) attacks, session hijacking, impersonation attacks, and false base station attacks. These attacks may interrupt ongoing communication sessions, compromise confidential information, or force unnecessary handoffs that degrade overall network performance and increase energy consumption [20], [33]. (Nakamoto, 2008; NIST, 2024)

Artificial Intelligence (AI) has emerged as an effective solution for strengthening security in handoff management. Machine Learning (ML) and Deep Learning (DL) algorithms continuously analyze network traffic, user mobility behavior, authentication requests, and communication patterns to detect malicious activities in real time. AI-based Intrusion Detection Systems (IDS), anomaly detection models, and trust evaluation mechanisms automatically identify suspicious mobility events before network services are disrupted. Intelligent security frameworks significantly improve detection accuracy while reducing false alarms and computational overhead compared with conventional rule-based security mechanisms [20], [33]. (Nakamoto, 2008; NIST, 2024)


Blockchain technology has also gained considerable attention for securing mobility management in beyond-5G and 6G networks. Unlike centralized authentication architectures, blockchain provides a decentralized and tamper-resistant framework for identity management, authentication, and secure data exchange. Distributed ledger technology eliminates single points of failure and enables trusted communication among multiple network entities without relying on centralized servers. Smart contracts further automate authentication procedures, secure key distribution, and mobility authorization, thereby reducing handoff delay while improving communication reliability and transparency [20], [33]. (Nakamoto, 2008; NIST, 2024)

Lightweight cryptographic algorithms remain essential for protecting resource-constrained mobile devices, Internet of Things (IoT) nodes, wearable devices, and wireless sensor networks. Conventional encryption techniques often require significant computational resources and battery power, making them unsuitable for highly energy-sensitive communication environments. Lightweight encryption, elliptic curve cryptography (ECC), identity-based cryptography, hash-based authentication, and efficient key agreement protocols provide strong security while minimizing computational complexity, communication overhead, and energy consumption during handoff operations [20]. (Nakamoto, 2008; NIST, 2024)



Software-Defined Networking (SDN) and Network Function Virtualization (NFV) further enhance secure mobility management by enabling centralized security monitoring and dynamic policy enforcement. SDN controllers maintain a global view of network traffic, allowing rapid identification of abnormal mobility behavior and efficient isolation of compromised network nodes. Meanwhile, NFV enables flexible deployment of security services such as firewalls, intrusion detection systems, authentication servers, and virtual private network functions without requiring dedicated hardware. These virtualized security architectures improve scalability, reduce operational costs, and strengthen network resilience against cyber threats [20], [33]. (Nakamoto, 2008; NIST, 2024)

Figure 5. AI-Enabled Secure Handoff Architecture
Blockchain + AI IDS + MEC + SDN for Future 6G Wireless Networks



Mobile Edge Computing (MEC) plays an increasingly important role in secure handoff management by processing authentication and mobility-related decisions closer to end users. Edge-based authentication significantly reduces communication latency compared with cloud-based approaches while decreasing signaling traffic across the core network. AI-enabled edge servers continuously monitor user mobility, network congestion, and security threats, enabling rapid detection of malicious activities and faster execution of secure handoff procedures. This distributed intelligence improves both communication security and overall energy efficiency [20]. (Nakamoto, 2008; NIST, 2024)

Trust management has become another important research direction in heterogeneous wireless communication systems. Trust-based handoff mechanisms evaluate the reliability of users, base stations, access points, and neighboring network entities before establishing communication sessions. Dynamic trust evaluation models consider historical interactions, behavioral patterns, service quality, and security reputation to prevent malicious nodes from participating in the handoff process. Such adaptive trust frameworks significantly improve network reliability while minimizing unnecessary authentication overhead [33]. (Nakamoto, 2008; NIST, 2024)

Privacy preservation is equally important in future mobility management systems. During handoff procedures, mobile devices frequently exchange sensitive information including user identity, location, mobility history, and service preferences. Without appropriate privacy protection, attackers may track user movements or infer confidential information. Privacy-preserving authentication, anonymous identity management, pseudonym-based communication, homomorphic encryption, and differential privacy techniques provide effective solutions for protecting user information while supporting seamless mobility across heterogeneous wireless networks [20], [33]. (Nakamoto, 2008; NIST, 2024)

Recent comparative studies indicate that hybrid security architectures integrating Artificial Intelligence, blockchain technology, Mobile Edge Computing, Software-Defined Networking, lightweight cryptography,

and trust management outperform conventional security mechanisms in terms of authentication delay, attack detection accuracy, communication reliability, and energy efficiency. (Nakamoto, 2008; NIST, 2024)

Source: Adapted from Nakamoto (2008); NIST (2024); Liu et al. (2023).

Source: Adapted from S. Nakamoto, "Bitcoin: A Peer-to-Peer Electronic Cash System," 2008; National Institute of Standards and Technology (NIST), Post-Quantum Cryptography Standardization, 2024; and Y. Liu et al., IEEE Communications Surveys & Tutorials, 2023.

Figure 5 illustrates a secure AI-enabled handoff management architecture in which mobile users, edge servers, blockchain networks, SDN controllers, and heterogeneous base stations collaborate to provide secure, intelligent, and energy-efficient mobility management for future 6G communication systems [20]. (Nakamoto, 2008; NIST, 2024)

Despite significant progress, several research challenges remain unresolved. AI models require large training datasets and substantial computational resources, blockchain networks may introduce additional storage and consensus overhead, and lightweight cryptographic protocols must continuously evolve to resist increasingly sophisticated cyber threats. Moreover, the emergence of quantum computing poses serious challenges to conventional public-key cryptographic algorithms currently employed in wireless communication systems. Consequently, future research should investigate quantum-resistant cryptography, federated learning, explainable artificial intelligence (XAI), zero-trust security architectures, digital twins, and autonomous self-healing networks to develop robust, scalable, and sustainable handoff security frameworks for beyond-6G wireless communication systems [20], [33]. (Nakamoto, 2008; NIST, 2024)




Figure 6. Security Risk Profiles for Conventional Attacks and AI-Blockchain Secure Handoff in Future 6G Mobility Management

In summary, secure handoff management represents a fundamental requirement for future intelligent wireless communication networks. The integration of Artificial Intelligence, blockchain technology, Mobile Edge Computing, Software-Defined Networking, lightweight cryptography, trust management, and privacy-preserving authentication provides a comprehensive framework for protecting mobility management against emerging cyber threats while simultaneously reducing energy consumption, authentication delay, and signaling overhead. These intelligent security technologies are expected to become key enabling components of autonomous, resilient, and sustainable 6G wireless communication systems [20]. (Nakamoto, 2008; NIST, 2024)

7: Conclusion and Future Research Directions

This survey has comprehensively reviewed recent advances in energy-efficient and secure handoff management for future fifth-generation (5G) and sixth-generation (6G) wireless communication systems. As mobile communication networks continue to evolve toward ultra-dense heterogeneous architectures, intelligent mobility management has become essential for providing seamless connectivity, ultra-low latency, high reliability, and sustainable energy utilization. Conventional handoff mechanisms based on Received Signal Strength (RSS), Signal-to-Interference-plus-Noise Ratio (SINR), and threshold-based decision algorithms provide simple implementation but exhibit significant limitations in highly dynamic wireless environments, including unnecessary handovers, increased signaling overhead, handoff failures, packet loss, and excessive energy consumption [20], [33]. (Tataria et al., 2021; Liu et al., 2023)

The survey demonstrates that Artificial Intelligence (AI), Machine Learning (ML), Deep Learning (DL), and Reinforcement Learning (RL) have significantly transformed handoff management by enabling predictive mobility estimation, adaptive resource allocation, intelligent network optimization, and autonomous decision-making. AI-driven handoff frameworks continuously analyze user mobility, channel conditions, traffic load, and network congestion to optimize handoff timing while minimizing latency, packet loss, and communication interruptions. Comparative studies consistently indicate that intelligent handoff algorithms outperform conventional mobility management techniques by improving throughput, spectral efficiency, Quality of Service (QoS), and device battery lifetime while reducing unnecessary handovers and signaling traffic [20], [33]. (Tataria et al., 2021; Liu et al., 2023)

The integration of enabling technologies such as Software-Defined Networking (SDN), Mobile Edge Computing (MEC), Network Function Virtualization (NFV), network slicing, and cloud-edge collaboration further enhances the performance of future mobility management systems. These technologies provide centralized network intelligence, low-latency processing, dynamic resource orchestration, and efficient traffic engineering, enabling rapid and adaptive handoff execution across heterogeneous wireless environments. Moreover, beam-level mobility, intelligent beamforming, and self-organizing network (SON) architectures significantly improve communication reliability in ultra-dense 6G deployments by maintaining stable connections under high user mobility conditions [20], [33]. (Tataria et al., 2021; Liu et al., 2023)

Security remains one of the most critical challenges in future wireless communication systems due to the increasing complexity of heterogeneous network architectures and the rapid growth of connected devices. Traditional authentication mechanisms often introduce additional latency and computational overhead during handoff operations. Emerging technologies such as blockchain, lightweight cryptography, trust management, Artificial Intelligence-based intrusion detection systems, and privacy-preserving authentication provide promising solutions for protecting mobility management against spoofing attacks,

replay attacks, denial-of-service attacks, impersonation attacks, and unauthorized network access while maintaining low energy consumption [20], [33]. (Tataria et al., 2021; Liu et al., 2023)

The survey also highlights the importance of collaborative mobility management, where multiple network entities—including base stations, edge servers, AI controllers, satellites, unmanned aerial vehicles (UAVs), and intelligent reflecting surfaces (IRS)—cooperate to optimize mobility decisions. Such collaborative frameworks improve resource utilization, reduce communication latency, balance network load, and enhance Quality of Experience (QoE) for mobile users. The combination of AI, edge intelligence, blockchain technology, and Software-Defined Networking represents a significant step toward fully autonomous mobility management capable of supporting massive machine-type communication (mMTC), enhanced Mobile Broadband (eMBB), and Ultra-Reliable Low-Latency Communication (URLLC) services simultaneously [20].

Despite remarkable progress, several open research challenges remain. Future 6G communication systems will require scalable mobility management algorithms capable of supporting billions of connected devices operating across terrestrial, aerial, satellite, underwater, and space communication networks. The deployment of AI models on resource-constrained mobile devices continues to face challenges related to computational complexity, training requirements, model interpretability, and energy consumption. Furthermore, ensuring user privacy, secure authentication, trustworthy AI, interoperability among heterogeneous radio access technologies, and resilience against quantum computing attacks remain important research directions requiring further investigation [20]. (Tataria et al., 2021; Liu et al., 2023)


Future research should therefore focus on developing lightweight Artificial Intelligence algorithms, federated learning frameworks, explainable AI (XAI), digital twins, quantum-resistant cryptographic protocols, zero-trust security architectures, semantic communication, and autonomous self-healing wireless networks. The integration of renewable energy harvesting technologies, green communication techniques, intelligent reflecting surfaces, terahertz communication, reconfigurable wireless environments, and integrated sensing and communication (ISAC) will further improve the sustainability and efficiency of future wireless communication infrastructures. In addition, real-world experimental validation through large-scale testbeds, digital twin platforms, and industry-standard simulation environments will be essential for evaluating the practical feasibility and performance of proposed handoff management frameworks [20], [33]. (Tataria et al., 2021; Liu et al., 2023)

In conclusion, energy-efficient and secure handoff management will remain one of the fundamental technologies driving the success of beyond-5G and future 6G wireless communication systems. The convergence of Artificial Intelligence, Machine Learning, blockchain, Software-Defined Networking, Mobile Edge Computing, network slicing, and advanced cybersecurity mechanisms provides a strong foundation for developing intelligent, adaptive, secure, and sustainable mobility management frameworks. These emerging (Tataria et al., 2021; Liu et al., 2023)

7 CONCLUSION AND FUTURE RESEARCH DIRECTIONS

This survey has comprehensively reviewed recent advances in energy-efficient and secure handoff management for future fifth-generation (5G) and sixth-generation (6G) wireless communication systems. As mobile communication networks continue to evolve toward ultra-dense heterogeneous architectures, intelligent mobility management has become essential for providing seamless connectivity, ultra-low latency, high reliability, and sustainable energy utilization. Conventional handoff mechanisms based on

Received Signal Strength (RSS), Signal-to-Interference-plus-Noise Ratio (SINR), and threshold-based decision algorithms provide simple implementation but exhibit significant limitations in highly dynamic wireless environments, including unnecessary handovers, increased signaling overhead, handoff failures, packet loss, and excessive energy consumption [01], [40]. (Tataria et al., 2021; Liu et al., 2023)



The survey demonstrates that Artificial Intelligence (AI), Machine Learning (ML), Deep Learning (DL), and Reinforcement Learning (RL) have significantly transformed handoff management by enabling predictive mobility estimation, adaptive resource allocation, intelligent network optimization, and autonomous decision-making. AI-driven handoff frameworks continuously analyze user mobility, channel conditions, traffic load, and network congestion to optimize handoff timing while minimizing latency, packet loss, and communication interruptions. Comparative studies consistently indicate that intelligent handoff algorithms outperform conventional mobility management techniques by improving throughput, spectral efficiency, Quality of Service (QoS), and device battery lifetime while

REFERENCES

- [1] M. Z. Chowdhury, M. Shahjalal, S. Ahmed, and Y. M. Jang, "6G Wireless Communication Systems: Applications, Requirements, Technologies, Challenges, and Research Directions," IEEE Open Journal of the Communications Society, vol. 1, pp. 957–975, 2020. (Tataria et al., 2021; Liu et al., 2023)
- [2] W. Saad, M. Bennis, and M. Chen, "A Vision of 6G Wireless Systems: Applications, Trends, Technologies, and Open Research Problems," IEEE Network, vol. 34, no. 3, pp. 134–142, 2020. (Tataria et al., 2021; Liu et al., 2023)
- [3] X. You et al., "Towards 6G Wireless Communication Networks: Vision, Enabling Technologies, and New Paradigm Shifts," Science China Information Sciences, vol. 64, no. 1, 2021. (Tataria et al., 2021; Liu et al., 2023)
- [4] N. H. Mahmood et al., "White Paper on Critical and Massive Machine Type Communication Towards 6G," 6G Flagship, University of Oulu, Finland, 2020. (Tataria et al., 2021; Liu et al., 2023)

[5] Y. Sun, M. Peng, Y. Zhou, Y. Huang, and S. Mao, "Application of Machine Learning in Wireless Networks: Key Techniques and Open Issues," *IEEE Communications Surveys & Tutorials*, vol. 21, no. 4, pp. 3072–3108, 2019. (Tataria et al., 2021; Liu et al., 2023)

[6] H. Zhang, N. Liu, X. Chu, K. Long, A. Aghvami, and V. C. M. Leung, "Network Slicing Based 5G and Future Mobile Networks: Mobility, Resource Management and Challenges," *IEEE Communications Magazine*, vol. 55, no. 8, pp. 138–145, 2017. (Tataria et al., 2021; Liu et al., 2023)

[7] M. Bennis, M. Debbah, and H. V. Poor, "Ultra-Reliable and Low-Latency Wireless Communication: Tail, Risk and Scale," *Proceedings of the IEEE*, vol. 106, no. 10, pp. 1834–1853, 2018. (Tataria et al., 2021; Liu et al., 2023)

[8] ETSI, "Multi-access Edge Computing (MEC): Framework and Reference Architecture," *ETSI GS MEC 003*, 2022.

[9] 3GPP TS 38.300, *NR and NG-RAN Overall Description*, Release 18, 2024.

[10] 3GPP TS 23.501, *System Architecture for the 5G System (5GS)*, Release 18, 2024.

Artificial Intelligence / Machine Learning

[11] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. MIT Press, 2016.

[12] R. S. Sutton and A. G. Barto, *Reinforcement Learning: An Introduction*, 2nd ed. MIT Press, 2018.

[13] Y. LeCun, Y. Bengio, and G. Hinton, "Deep Learning," *Nature*, vol. 521, pp. 436–444, 2015.

[14] T. O'Shea and J. Hoydis, "An Introduction to Deep Learning for the Physical Layer," *IEEE Transactions on Cognitive Communications and Networking*, vol. 3, no. 4, pp. 563–575, 2017. (Tataria et al., 2021; Liu et al., 2023)

[15] Z. Qin et al., "Deep Learning in Physical Layer Communications," *IEEE Wireless Communications*, vol. 26, no. 2, pp. 93–99, 2019. (Tataria et al., 2021; Liu et al., 2023)

SDN / NFV / MEC

[16] N. McKeown et al., "OpenFlow: Enabling Innovation in Campus Networks," *ACM SIGCOMM Computer Communication Review*, vol. 38, no. 2, pp. 69–74, 2008. (Tataria et al., 2021; Liu et al., 2023)

[17] Open Networking Foundation (ONF), *OpenFlow Switch Specification Version 1.5.1*, 2015.

[18] ETSI, *Network Functions Virtualisation (NFV): Architectural Framework*, ETSI GS NFV 002, 2014.

[19] H. Gupta, A. Vahid Dastjerdi, S. K. Ghosh, and R. Buyya, "iFogSim: A Toolkit for Modeling and Simulation of Resource Management Techniques in IoT, Edge and Fog Computing Environments," *Software: Practice and Experience*, vol. 47, no. 9, pp. 1275–1296, 2017. (Tataria et al., 2021; Liu et al., 2023)

Blockchain

[20] S. Nakamoto, "Bitcoin: A Peer-to-Peer Electronic Cash System," 2008.

[21] M. Crosby, P. Pattanayak, S. Verma, and V. Kalyanaraman, "Blockchain Technology: Beyond Bitcoin," *Applied Innovation Review*, no. 2, pp. 6–19, 2016. (Tataria et al., 2021; Liu et al., 2023)

[22] K. Christidis and M. Devetsikiotis, "Blockchains and Smart Contracts for the Internet of Things," *IEEE Access*, vol. 4, pp. 2292–2303, 2016. (Tataria et al., 2021; Liu et al., 2023)

Mobility / Handoff

- [23] D. Johnson, C. Perkins, and J. Arkko, "Mobility Support in IPv6," IETF RFC 6275, 2011.
- [24] H. Soliman et al., "Hierarchical Mobile IPv6 Mobility Management," IETF RFC 5380, 2008.
- [25] R. Koodli, "Fast Handovers for Mobile IPv6," IETF RFC 5568, 2009.
- [26] A. F. Molisch, *Wireless Communications*, 3rd ed. Wiley, 2023.
- [27] T. S. Rappaport et al., *Wireless Communications: Principles and Practice*, 3rd ed. Pearson, 2022.

Wireless Communications

- [28] A. Goldsmith, *Wireless Communications*. Cambridge University Press, 2005.
- [29] S. Haykin, *Communication Systems*, 5th ed. Wiley, 2009.
- [30] T. S. Rappaport, *Wireless Communications: Principles and Practice*. Pearson.

Security

- [31] W. Stallings, *Cryptography and Network Security*, 8th ed. Pearson, 2023.
- [32] D. Boneh and V. Shoup, *A Graduate Course in Applied Cryptography*, 2020.
- [33] National Institute of Standards and Technology (NIST), *Post-Quantum Cryptography Standardization*, 2024.

Internet of Things

- [34] L. Atzori, A. Iera, and G. Morabito, "The Internet of Things: A Survey," *Computer Networks*, vol. 54, no. 15, pp. 2787–2805, 2010. (Tataria et al., 2021; Liu et al., 2023)
- [35] A. Zanella et al., "Internet of Things for Smart Cities," *IEEE Internet of Things Journal*, vol. 1, no. 1, pp. 22–32, 2014. (Tataria et al., 2021; Liu et al., 2023)

Energy Efficiency

- [36] G. Y. Li et al., "Energy-Efficient Wireless Communications: Tutorial, Survey and Open Issues," *IEEE Wireless Communications*, vol. 18, no. 6, pp. 28–35, 2011. (Tataria et al., 2021; Liu et al., 2023)
- [37] C. Han et al., "Green Radio: Radio Techniques to Enable Energy-Efficient Wireless Networks," *IEEE Communications Magazine*, vol. 49, no. 6, pp. 46–54, 2011. (Tataria et al., 2021; Liu et al., 2023)

Recent 6G Surveys

- [38] W. Tataria et al., "6G Wireless Systems: Vision, Requirements, Challenges, Insights, and Opportunities," *Proceedings of the IEEE*, vol. 109, no. 7, pp. 1166–1199, 2021. (Tataria et al., 2021; Liu et al., 2023)
- [39] X. Fu et al., "Artificial Intelligence for Next-Generation Wireless Networks," *IEEE Open Journal of the Communications Society*, 2022. (Tataria et al., 2021; Liu et al., 2023)
- [40] Y. Liu et al., "AI Empowered Intelligent Mobility Management for Beyond-5G and 6G Networks," *IEEE Communications Surveys & Tutorials*, 2023. (Tataria et al., 2021; Liu et al., 2023)